7.REFERENCES:

1. Ahmed M., Babu S. G., Shetty S.K.,(2011) Development and validation of Amoxicillin by RP-HPLC method in bulk drug and pharmaceutical dosage forms, *International journal of Chem. tech Research,***3 (3)**, 1037-1041.
2. Albert, K.,(2002) "*On-line LC–NMR and Related Techniques*," Eds. Wiley,Chichester, UK.
3. Arayne M.S., Sultana N., Zuberi M.H., (2006),Development and validation of RP-HPLC method for the analysis of metformin. *Pak J Pharm Sci.*,**19(3)**,231-5.
4. Beckett A. H., Stenlake J. B.,(2002), practical pharmaceutical chemistry, CBS publishers and distributors, **2(4)**, 275-337.
5. Chatwal R.G., Anand K.S., (2002), *instrumental method of chemical analysis*, Himalaya publishing house, **5(1)**, 2.149-84.
6. Dasshor K., Singh D., Saraf S. and Saraf S., (2005), validation- The quality assurance tool pharma industries, Pharmainfo, **(3)**.
7. Deng ,S, Brett J,W, Jensen C,J, Basar S, Westendorf, J.(2009) Development and validation of an RP-HPLC method for the analysis of anthraquinones in noni fruits and leaves. FoodChem**;** 116:505–508.
8. Dhandapani B., Thirumoorthy N., Shaik H. R., Kotaiah M. R., Anjaneyalu N., (2010), method development and validation for the simultaneous estimation of ofloxacin and ordinazole in tablet dosage form by RP-HPLC. *International journal of pharmaceutical and biomedical research,* **1(1)**, 42-48.
9. Elbarbry F, Wilby K, Alcorn J. (2006) Validation of a HPLC method for the determination of p-nitrophenol hydroxylase activity in rat hepatic microsomes. *J Chromatogra B***;**834:199–203.
10. ErmerJ., Miller J.,(2005), Method Validation in Pharmaceutical Analysis. Weinheim: WILEY-VCH Verlag GmbH & Co. KGaA..

11. FDA Guidance for Industry (2000)-Analytical Procedures and Method Validation, Chemistry, Manufacturing, and Controls Documentation, *Center for Drug Evaluation and Research*
12. Gopalakrishnan S., Vadivel E., Krishnaveni P., Jeyashree B.,(2010), A novel Reverse phase-HPLC method development and validation of mycophenolate sodium-an immunosuppressant drug, journal of *RJPBCS*, **1(4)**, 200
13. Guidance for quality risk management Q9, (2003) *ICH Harmonized Triplicate guideline*.
14. Guidance of industry process validation: General Principles and practices
15. Jeffery G.H., Bassett J.,(2006), *Vogel textbook of Quantitative chemical analysis*, **(6)**, 217-235.
16. Jenke DR(1998). Chromatographic method validation: A review of current practices and procedures. Part II. *Guidelines for primary validation parameters. Instrum. Sci. Technol*;26:1-18.
17. Joel K, Swadesh.,(2000) "*HPLC- Practical and Industrial Applications,Analytical Chemistry Series*," 2nd Edition, CRC Press, FL, USA.,
18. Kasture, A.V., Mahadik, K.R., Wadodkar, S.G., More, H.N., 2002,"*Pharmaceutical Analysis*," Vol. I & II, Nirali Prakashan, Pune, India.
19. Krier F, Michaël B, Benjamin D, Pierre L, Aurélie D, Eric Z, and et al. (2011) Optimisation and validation of a fast HPLC method for the quantification of sulindac and its related impurities. *J Pharmaceut Biomed Anal***;** 54:694–700.
20. Kuchi R., Balamurali K. K. and Rao S.,(2011), New RP-HPLC method development and validation for analysis of Antiviral drug Raltegravir, *International journal of research in pharmaceutical and biomedical sciences*,**2(1)**,132.
21. LaCourse, W.R.,(2002) "Column liquid chromatography: Equipment and Instrumentation," *Analytical Chemistry*, , 74,. 2813-2832.
22. Nama S., Awen B. Z., Rao B. C., Kagga M.,(2011), Development and validation of RP-HPLC method for the determination of Riluzol HCL in bulk

drug and tablet dosage form. *Pharmaceutical and biomedical research*, **2(1)**,17-21.

23. Nguyen A.T, Aerts.T, Dam D.W, Deyn P.P.D. (2010) Biogenic amines and their metabolites in mouse brain tissue: Development, optimization and validation of an analytical HPLC method.
24. Onal A., (2009),Spectrophotometric and HPLC determinations of anti-diabetic drugs, Rosiglitazone maleate and Metformin hydrochloride, in pure form and in pharmaceutical preparations. *Eur J Med Chem.,* **44(12)**,4998-5005.
25. Onal A., Oztung A.,(2006), Development and validation of HPLC method for determination of Esomeprazole in tablet, *journal of food and drug analysis*,**14(1)**, 12-18.
26. Pandya K., Mehta D., Patel K., Dr. Patel J., Shah N.,(2011), Development and validation of UV spectroscopic and RP-HPLC methods for estimation of Dexketoprofentrometamol in tablet dosage form. *Journal of Pharmaceutical sciences and bioscientific research*, **1(1)**, 78-85.
27. Perlatti .B, Maria Fd, Graças Fd.S, Fernandes J.B, Ross M. (2012) Validation and application of HPLC–ESI-MS/MS method for the quantification of RBBR decolorization, a model for *Phytochem Lett*; 4:134–137.
28. Potts A.R, Tatiana P, Cassandra J, Luba P, Ahalya W.(2012) Validation of a quantitative HPLC method for bacitracin and bacitracin zinc using EDTA as a mobile-phase modifier. *J Pharmaceutof Biomed Anal***;** 70:619–623.
29. Rajesh T., Lakshmi K. S., (2011),Development and Validation of RP-HPLC Method for Simultaneous Determination of Glipizide, Rosiglitazone, Pioglitazone, Glibenclamide and Glimepiride in Pharmaceutical Dosage Forms and Human Plasma. *J Iran Chem.*,**8 (1)**, 31-37.
30. Reddy B. P., Reddy K.A., Reddy M.S., (2010), Validation and stability indicating RP-HPLC method for the determination of tadalafil API in pharmaceutical formulations, *Research in pharmaceutical biotechnology,* **2 (1)** 1-6.
31. Reddy B., Boopathy D., Mathew B., Prakash M., Perumal P., (2008), Method development and validation of simultaneous determination of

pioglitazone and glimepiride in pharmaceutical dosage form by RP-HPLC. *Pak J Pharm Sci*., **21(4)**, 421-5.

32. Sandhya B., Harika V.C., Kasimalla B. B., Syed R., Pammi K., (2011), RP-HPLC method development and validation for the analysis of sunitinib in pharmaceutical dosage forms, *International journal of Science innovations and discoveries,* **1 (3)**,441-450
33. Sinha S.K, Shrivastava P.K, Shrivastava.(2012) Development and validation of a HPLC method for the simultaneous estimation of amlodipin and telmisartan in pharmaceutical dosage form.*Asia Pac J Mol Biol*; 1:312–S315.
34. Skoog D.A., Holler F.J., West D.M., Nierman T.A., (1994),*An introduction in analytical chemistry*, Singapore: Thomas Asia pte.ltd, **(5)**, 567, 728-44
35. Snyder L. R., Kirkland J. J., Glajch J. I.,(1988), Practical HPLC method development, **(3)**, 2-218-51.
36. Suresh R., Anarthanan V. J., Manavalan R. and Vallippan K., (2010), Aspects of validation in HPLC method development for pharmaceutical analysis-comparison of validation requirements by FDA,USP and ICH, *International journal of pharmaceutical sciences and research,* **1 (12)**,123-132
37. Susan D, Van A, Henry J.N, Chinfong C. (2009) HPLC method validation studies on a specific assay for monomethoxypoly (ethylene glycol) succinimido carbonate (mPEG-SC). *J Pharmaceut Biomed***;** 50:138–143.
38. Urban M. C. C., Mainardes R. M., Greniao M. P. D., (2009), Development and validation of HPLC method for analysis of dexamethosane acetate in microemulsions, *Brazilian journal of pharmaceutical sciences,* **45 (1)** 87.
39. Valarmathy J., Samueljoshua L., Rathinavel G., Thanuja C. S. and Sivakumar T., (2008), RP-HPLC method development and validation for assay of levitracetam in tablet dosage form, *Research J. pharm. And tech.,* **1 (3)** 395.
40. Willard H.H. and Lynnel M.J.R.,(1986), Instrumental method of analysis, CBS publishers and distributors, **(7)**, 118-14, 117-8, 592-600, 629-9.